

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/527,546	03/16/2000	Michael J. Conrad	202812	2335
23460	7590 12/04/2002			
LEYDIG VOIT & MAYER, LTD TWO PRUDENTIAL PLAZA, SUITE 4900 180 NORTH STETSON AVENUE			EXAMINER	
			PARTON, KEVIN S	
CHICAGO, IL	60601-6780		ART UNIT	PAPER NUMBER
			2153	
			DATE MAILED: 12/04/2002	!

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 07-01)

			- A
	Application No.	Applicant(s)	
	09/527,546	CONRAD ET AL.	
, Office Action Summary	Examiner	Art Unit	
TI MANUAL DATE IN	Kevin Parton	2153	
The MAILING DATE of this communication appeared for Reply	ears on the cover sheet	with the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period with Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	6(a). In no event, however, may within the statutory minimum of till apply and will expire SIX (6) Mc cause the application to become	a reply be timely filed nirty (30) days will be considered timely. DNTHS from the mailing date of this communication ABANDONED (35 U.S.C. & 133)	n.
1) Responsive to communication(s) filed on			
2a) This action is FINAL . 2b) ⊠ This	s action is non-final.		
3) Since this application is in condition for alloware closed in accordance with the practice under E	nce except for formal m Ex parte Quayle, 1935 C	atters, prosecution as to the merits in 2.D. 11, 453 O.G. 213.	is
Disposition of Claims			
4) Claim(s) 1-19 is/are pending in the application.			
4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed.	in from consideration.		
6)⊠ Claim(s) <u>1-19</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/or	election requirement		
Application Papers	cicolon requirement.		
9)⊠ The specification is objected to by the Examiner.			
10)⊠ The drawing(s) filed on 16 March 2000 is/are: a)	⊠ accepted or b) object	cted to by the Examiner.	
Applicant may not request that any objection to the	drawing(s) be held in abe	yance. See 37 CFR 1.85(a).	
11) The proposed drawing correction filed on	is: a)∏ approved b)∏	disapproved by the Examiner.	
If approved, corrected drawings are required in repl	•		
12) The oath or declaration is objected to by the Exa	miner.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C.	.§ 119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
1. Certified copies of the priority documents	have been received.		
2. Certified copies of the priority documents	have been received in a	Application No	
 3. Copies of the certified copies of the priorit application from the International Bure * See the attached detailed Office action for a list of 	eau (PCT Rule 17.2(a)).	•	
14) Acknowledgment is made of a claim for domestic			on).
a) The translation of the foreign language prov 15) Acknowledgment is made of a claim for domestic	isional application has t	peen received.	,
attachment(s)	. , ,		
) ⊠ Notice of References Cited (PTO-892)) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)) ☑ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2.		Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)	

Art Unit: 2153

DETAILED ACTION

Specification

1. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

- 2. The abstract of the disclosure is objected to because it exceeds the maximum allowed number of words. Correction is required. See MPEP § 608.01(b).
- 3. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1-4, 6-9, 11-13, 15-17, and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Desai et al. (USPN 5,781,703).
- 6. Regarding claim 1, Desai et al. (USPN 5,781,703) teach a system for network performance reporting comprising:

· Art Unit: 2153

a. A reporting server (figure 1). Note that in the reference, the reporting server is the proxy controller that collects information from the remote agents and sends them commands from the data server. Note that the proxy controller (reporting server) and the data server can be either separate machines or separate pieces of software.

Page 3

- b. A plurality of reporting clients for collecting system performance data and reporting the system performance data to the reporting server (figure 1), each reporting client having a plug-in module for registering performance metrics for a system component with said each reporting client (column 4, lines 1-4) tracking the performance metrics (column 4, lines 8-10), and passing data on the performance metrics to the reporting client for reporting to the reporting server (column 4, line 10), the reporting server programmed to generate a performance report based on system performance data reported by the reporting clients (column 2, lines 15-17; column 11, lines 27-30). Note that in the reference, Intelligent Remote Agents are provided to clients as plug-ins. They each monitor a set of performance characteristics of the associated machine. Using that machine's communication methods, the data is sent back to the reporting server (proxy controller). The proxy controller then formats the information into the proper format (database).
- 7. Regarding claim 2, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 1. They further teach means wherein each of the reporting client includes a client application for selectively tracking a core set of system attributes (column 4, lines 8-10; column

Art Unit: 2153

6, lines 17-20). Note that in the reference, the Intelligent Remote Agents that execute on the

client operate to collect different types of performance data.

8. Regarding claim 3, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 1. They further teach means for including a reporting super-server for receiving system performance data from the reporting server and summarizing the system performance data received from the reporting server to generating a second performance report (column 3, lines 13-36). Note that in the reference, the Data Server is the ultimate destination for the performance data sent by way of the reporting server or proxy controller. The Data Server formats and stores the data and can generate any type of report from the SQL database.

- 9. Regarding claim 4, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 1. They further teach means including a data store for selectively archiving system performance data (column 3, lines 13-36). Note that in the reference, both the proxy controller and the data server are responsible for storing some amount of performance data. The proxy controller may remove unnecessary data in the data formatting process.
- 10. Regarding claim 6, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 1. They further teach means wherein the plug-in module of at least one of the reporting clients is programmed to register with said at least one reporting client an indication of how the data on the performance metrics are to be presented in the performance report generated by the reporting server (column 6, lines 45-50, 62-65). Note that in the reference, the Intelligent remote Agent responds with data that meets any of the situational requirements, thereby affecting the presentation of any report.

Page 4

Application/Control Number: 09/527,546

Art Unit: 2153

- 11. Regarding claim 7, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 1. They further teach means wherein the performance report generated by the reporting server includes a summary summarizing status of system components monitored by the reporting clients and a plurality of per-client detailed reports regarding the reporting client (column 3, lines 43-45; column 4, lines 1-10). Note that in the server information on each client is summarized into a report and sent to the data server by the proxy controller. This information includes statistics gathered by the client as well as client specific details.
- 12. Regarding claim 8, Desai et al. (USPN 5,781,703) teach a system for generating performance reports with means for:
 - a. Connecting a reporting server with a reporting client, the reporting client responsible for monitoring a system component and having a plug-in module for tracking metrics specific to the system component (figure 1; column 4, lines 1-4). Note that in the reference, the proxy controller is a reporting server and the Remote Intelligent Agents are plug-ins used for monitoring metrics on the client machines.
 - b. Registering, by the plug-in module with the reporting client, the metrics for reporting to the reporting server (column 6, lines 10-20, 40-65). Note that in the reference, the metrics to be measured are analyzed by the remote agents and only those that can be satisfied are reported, and thus "registered" with the proxy controller.
 - c. Tracking, by the plug-in module, the metrics and providing data on the metrics to the reporting client (column 6, lines 43-45). Note that in the

Application/Control Number: 09/527,546

Art Unit: 2153

reference, the remote intelligent agents collect data and then use the client's communications to provide that data back to the proxy controller.

- d. Passing, by the reporting client, performance data including the data on the metrics to the reporting server (column 6, lines 45-47).
- e. Generating, by the reporting server, a performance report from the performance data passed by the reporting client (column 2, lines 15-20; column 3, lines 43-45). Note that in the reference, the proxy controller generates a SQL compatible "report" with the information that was sent and stores it until further communication is requested.
- Regarding claim 9, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 8. They further teach means including the step of tracking by the reporting client a core set of system attributes, and wherein the performance data passed by the reporting client to the reporting server includes data on the core set of system attributes (column 6, lines 10-20). Note that in the reference, all collection is done by request of the data server. The data server has a pre-determined set of core client attributes that must be collected. The attributes are communicated to the remote intelligent agents.
- 14. Regarding claim 11, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 8. They further teach means including the step of forwarding, by the reporting server, performance data to a reporting super-server (column 3, lines 13-36). Note that in the reference, the Data Server is the ultimate destination for the performance data sent by way of the reporting server or proxy controller. The Data Server formats and stores the data and can generate any type of report from the SQL database.

Application/Control Number: 09/527,546

Art Unit: 2153

15. Regarding claim 12, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 8. They further teach means including the step of selectively archiving performance data in a data store (column 3, lines 13-36). Note that in the reference, both the proxy controller and the data server are responsible for storing some amount of performance data. The proxy controller may remove unnecessary data in the data formatting process.

- 16. Regarding claim 13, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 8. They further teach means wherein the step of registering the metrics includes providing an indication of how the data on the metrics are to be presented in the performance report generated by the reporting server (column 6, lines 10-20, 40-65). Note that the remote intelligent agents only collect those metrics that satisfy the situational requirements thus determining the manner in which the information will be reported.
- 17. Regarding claim 15, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 8. They further teach means including the step of providing, by the plug-in module, non-numeric performance data concerning the system component being monitored (column 6, lines 10-20). Note that in the reference, any type of performance parameter can be measured, this could include non-numeric values such as yes/no answers to performance threshold measurements.
- 18. Regarding claim 16, Desai et al. (USPN 5,781,703) teach a system for network performance monitoring with means for:
 - a. Registering, by the plug-in module, metrics for monitoring performance of a system component on a host computer of the reporting client (column 6, lines 10-20, 40-65). Note that in the reference, the metrics to be measured are

Application/Control Number: 09/527,546

Art Unit: 2153

analyzed by the remote agents and only those that can be satisfied are reported, and thus "registered" with the proxy controller.

- b. Tracking, by the plug-in module, the metrics during operation of the host computer (column 6, lines 43-45). Note that in the reference, the remote intelligent agents collect data and then use the client's communications to provide that data back to the proxy controller.
- c. Providing, by the plug-in module, data on the metrics from the tracking (column 6, lines 45-47). Note that in the reference, the remote intelligent agent uses the client's communication infrastructure to send the data, so the data is provided to the client.
- d. Forwarding, by the reporting client, the data on the metrics to a reporting server for generating a performance report (column 6, lines 45-47).
- 19. Regarding claim 17, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 16. They further teach means wherein the step of registering the metrics includes providing an indication of how the data on the metrics are to be presented in the performance report (column 6, lines 10-20, 40-65). Note that the remote intelligent agents only collect those metrics that satisfy the situational requirements thus determining the manner in which the information will be reported.
- 20. Regarding claim 19, Desai et al. (USPN 5,781,703) teach all the limitations as applied to claim 16. They further teach means for collecting, by the reporting client, data on a core set of system attributes, and providing the collected data on the core set of system attributes to the reporting server for generating the performance report (column 6, lines 10-20). Note that in the

· Art Unit: 2153

reference, all collection is done by request of the data server. The data server has a predetermined set of core client attributes that must be collected. The attributes are communicated to the remote intelligent agents.

Claim Rejections - 35 USC § 103

- 21. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 22. Claims 5, 14, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Desai et al. (USPN 5,781,703) in view of Hamilton, III et al. (USPN 6,098,181).
- 23. Regarding claims 5, 14, and 18, although the system disclosed by Desai et al. (USPN 5,781,703) (as applied to claims 1, 8, and 16) shows substantial features of the claimed invention, it fails to disclose means wherein the plug-in module is programmed to provide data indicating a pass/fail status of a system component monitored by the at least one reporting client for inclusion in the performance report generated by the reporting server.

Nonetheless, these features are well known in the art and would have been an obvious modification of the system disclosed by Desai et al. (USPN 5,781,703), as evidenced by Hamilton, III et al. (USPN 6,098,181).

In an analogous art, Hamilton, III et al. (USPN 6,098,181) disclose a system for monitoring of performance of remote network elements. They teach means wherein the plug-in module is programmed to provide data indicating a pass/fail status of a system component monitored by the at least one reporting client for inclusion in the performance report generated

· Art Unit: 2153

by the reporting server (figure 2). Note that in the reference, the primary returned value is a pass/fail attribute of a monitored node.

Given the teaching of Hamilton, III et al. (USPN 6,098,181), a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Desai et al. (USPN 5,781,703) by employing the use of a pass/fail indicator as one of the returned performance results. This would benefit the system by giving the most simple and easily read indication of nominal system status. In addition, action could be taken more quickly at a higher level if the returned attribute were portrayed in the simplest possible manner.

- 24. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Desai et al. (USPN 5,781,703) in view of Haggard et al. (USPN 6,148,335).
- 25. Regarding claim 10, although the system disclosed by Desai et al. (USPN 5,781,703) (as applied to claim 8) shows substantial features of the claimed invention, it fails to disclose means wherein the core set of system attributes includes memory usage and event log errors.

Nonetheless, these features are well known in the art and would have been an obvious modification of the system disclosed by Desai et al. (USPN 5,781,703), as evidenced by Haggard et al. (USPN 6,148,335).

In an analogous art, Haggard et al. (USPN 6,148,335) discloses a system for remote monitoring and reporting of network elements with means wherein the core set of system attributes includes memory usage and event log errors (column 2, lines 62-65). Note that in the reference, errors are reported and memory availability (or conversely, usage) is reported.

Given the teaching of Haggard et al. (USPN 6,148,335), a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Desai et al.

Art Unit: 2153

(USPN 5,781,703) by employing the reporting of memory status and event messages to the server. These are only two examples of a number of advantageous metrics that can be recorded. The benefit to the system would be the constant knowledge of the amount of memory in use and available in order to make decisions on where more memory must be added, or where memory leaks may exist.

Conclusion

- 26. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Please see the following:
 - a. Burgess et al. (USPN 5,796,633) System for reporting information on a monitored client to a monitoring machine, data is further sent to a superserver.
 - b. Landan (USPN 6,449,739) System for the test of network servers through the use of clients that collect information and send to a reporting server.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Parton whose telephone number is (703)306-0543. The examiner can normally be reached on M-F 8:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenton Burgess can be reached on (703)305-4792. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-9242 for regular communications and (703)746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

· Art Unit: 2153

Kevin Parton Examiner Art Unit 2153

ksp November 29, 2002

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100